

GARDERE

attorneys and counselors ■ www.gardere.com



17-1A

0350
03 CO

Winter's Direct Dial Number.
214-999-4785
Direct Fax: 214-999-3785
dchalker@gardere.com

August 30, 2001

INITIAL PATENT EXAMINATION DIVISION

Commissioner for Patents
Washington, D.C. 20231

Re: Inventors: Lizy K. John and Srivatsan Srinivasan
UTA No.: 99-016
Patent Application Entitled: SYSTEM, METHOD AND APPARATUS FOR
ALLOCATING HARDWARE RESOURCES USING PSEUDORANDOM
SEQUENCES
Serial No.: 09/741,616
Filed: December 19, 2000
Our File No.: 119927-1040

Dear Sir:

Enclosed for filing in connection with the above-referenced patent application are the following documents:

1. Response to 2nd Notice of Incomplete Reply (2 pp.);
2. Copy of previously filed papers as an Attachment to the Response to 2nd Notice of Incomplete Reply including Drawings (8 sheets); and
3. Return postcard.

No additional fees are due. However, if this is incorrect, the Commissioner is hereby authorized to charge any fees that may be required by this paper to Deposit Account No. 07-0153.

Respectfully submitted,

Daniel J. Chalker
Reg. No. 40,522

Enclosures

DJC:llg

cc: Edwin S. Flores, Ph.D. (w/o enclosures)
Sanford E. Warren, Jr. (firm, w/o enclosures)

Attorney Docket No.: 119927-1040



119927-1040

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application: Lizy K. John and Srivatsan Srinivasan

Serial No. 09/741,616

Filed: December 19, 2000


Group Art Unit: 2151

Examiner: NOT YET KNOWN

For: **SYSTEM, METHOD AND APPARATUS FOR ALLOCATING
HARDWARE RESOURCES USING PSEUDORANDOM
SEQUENCES**

Certificate of Mailing under 37 CFR 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope, addressed to: BOX: Initial Patent Examination Division, Commissioner for Patents, Washington, D.C. 20231 on August 30, 2001.


signature

Linda L. Gibson

Typed or printed name of person signing certificate

INITIAL PATENT EXAMINATION DIVISION

Commissioner for Patents
Washington, D.C. 20231

**RESPONSE TO NOTICE OF INCOMPLETE
REPLY (NONPROVISIONAL)**


This paper is being filed in response to the second Notice of Incomplete Reply (Nonprovisional), dated August 21, 2001

Applicants respectfully submit a copy of the attached Response to Notice of Incomplete Reply (Nonprovisional) with accompanying substitute drawings and accompanying documents that were previously filed with the United States Patent and

Trademark Office on July 5, 2001. Applicants believe that the Notice of Incomplete Reply was satisfied at the time of the July 5, 2001 filing date.

This Response does not require a fee. However, if a fee, other than the issue fee, is due, please charge this fee to our Deposit Account No. 07-0153.

Respectfully submitted,
GARDERE WYNNE SEWELL LLP


Daniel J. Chalker
Registration No. 40,522
Attorney for Applicants

Dated: August 30, 2001

Gardere Wynne Sewell LLP
3000 Thanksgiving Tower
1601 Elm Street
Dallas, Texas 75201-4761
(214) 999-3000 - Telephone
(214) 999-4667 - Facsimile



UNITED STATES PATENT AND TRADEMARK OFFICE



COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/741,616	12/19/2000	Lizy Kurian John	119927-1040

CONFIRMATION NO. 5809

FORMALITIES LETTER



OC00000006454756

Sanford E. Warren, Jr.
Gardere Wynne Sewell LLP
Suite 3000
1601 Elm Street
Dallas, TX 75201-4761

Date Mailed: 08/21/2001

NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

Filing Date Granted


The U.S. Patent and Trademark Office has received your reply on to the Notice mailed and it has been entered into the nonprovisional application. The reply, however, does not include the following items required in the Notice

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a))

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm (1 inch), a left side margin of at least 2.5 cm (1 inch), a right side margin of at least 1.5 cm (5/8 inch), and a bottom margin of at least 1.0 cm (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*


Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE